

Full Body Safety Harness

Model: YL-S302

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 1 forged D-rings and 5 adjustable points for user's convenience
Norms: EN361&ANSI Z359.1



Model: YL-S311

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 1 forged D-ring and 3 adjustable points for user's convenience
Norms: EN361&ANSI Z359.1

Model: YL-S313

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 3 forged D-rings and 4 adjustable points for user's convenience
Norms: EN361&ANSI Z359.1



Full Body Safety Harness




Model: YL-S321

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 1 forged D-ring and 3 adjustable points for user's convenience
Norms: EN361&ANSI Z359.1

Model: YL-S323

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 1 forged D-ring and 3 adjustable points for user's convenience
Norms: EN361&ANSI Z359.1



Model: YL-S325

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 3 forged D-rings and 4 adjustable points for user's convenience
C/W 2 suspended-rings at chest
A wide waist belt for protection and comfort
Norms: EN361&ANSI Z359.1



Full Body Safety Harness

Model: YL-S327

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 3 forged D-rings and 8 adjustable points for user's convenience (including 4 quick connect adjustable points)
C/W 4 suspended-rings for protection
A wide waist belt and leg loops for protection and comfort
Norms: EN361&ANSI Z359.1



Model: YL-S331

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 1 forged D-ring and 5 adjustable points for user's convenience
Norms: EN361&ANSI Z359.1

Model: YL-S336

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 1 forged D-ring and 3 adjustable points for user's convenience
C/W 1 EVA back support for comfort
Norms: EN361&ANSI Z359.1



Full Body Safety Harness



Model: YL-S340

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 1 forged D-ring and 4 adjustable points for user's convenience
Norms: EN361&ANSI Z359.1

Model: YL-S342

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 3 stamped D-rings and 5 adjustable points for user's convenience
Norms: EN361&ANSI Z359.1



Model: YL-S344

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 1 forged D-ring and 5 adjustable points for user's convenience
C/W 2 suspended-rings at waist
Norms: EN361&ANSI Z359.1



Full Body Safety Harness

Model: YL-S345

Belt material: 100% Polyester
Webbing width: 45mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 2 forged D-rings and 5 adjustable points for user's convenience
Norms: EN361&ANSI Z359.1



Model: YL-S347

Belt material: 100% Polyester
Webbing width: 50mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 3 stamping D-rings and 3 adjustable points for user's convenience
A red wide waist belt for protection and comfort
Match with the Lanyard(long:1.5m, Dia:14mm) for protection
Hook: Rebar hook
Norms: EN361&ANSI Z359.1

Model: YL-S348

Belt material: 100% Polyester
Webbing width: 50mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 1 stamping D-ring and 4 adjustable points for user's convenience
A PE back support for comfort and lanyard for protection
Match with the Lanyard(long:1.5m, Dia:14mm) for protection
Hook: Big forged snap hook
Norms: EN361&ANSI Z359.1



Full Body Safety Harness



Model: YL-S349

Belt material: 100% Polyester
Webbing width: 50mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 1 Stamping D-ring and 3 adjustable points for user's convenience
Match with the Lanyard(long:1.5m, Dia:14mm) for protection
Hook: Middle stamping snap hook
Norms: EN361&ANSI Z359.1

Model: YL-S350

Belt material: 100% Polyester
Webbing width: 50mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 1 stamping D-ring and 3 adjustable points for user's convenience
Match with the Lanyard(long:1.5m, Dia:14mm) for protection
Hook: Big forged snap hook
Norms: EN361&ANSI Z359.1



Model: YL-S352



Belt material: 100% Polyester
Webbing width: 50mm
Webbing strength: 30kN(6500lbs)
Color: As customer
C/W 1 Stamping D-ring and 4 adjustable points for user's convenience
Match with the Lanyard(long:1.5m, Dia:14mm) for protection
Hook: Big forged snap hook
Norms: EN361&ANSI Z359.1


Work Positioning Belt

Model: YL-W200



Lanyard material: 100% PP
 Webbing width: 50 mm
 Color: As customer
 With one Stamping D-ring
 and 1 adjustable points and tool bag
 Match with lanyard (Length 1.5m, Dia. 12mm)
 Hook: Small Stamping Snap Hook

Model: YL-W201




Lanyard material: 100% polyester
 Webbing width: 50mm
 Color: As customer
 With 2 Stamping D-rings
 and 1 adjustable points and tool bag
 Match with the Lanyard (long: 1.5m, Dia: 12mm)
 Hooks: Middle stamping snap hook

Model: YL-W202



Lanyard material: 100% polyester
 Webbing width: 58mm
 Color: As customer
 With 2 Stamping D-rings
 and 1 adjustable points and tool bag
 Match with the Lanyard (long: 1.5m, Dia: 14mm)
 Hooks: Middle stamping snap hook

Model: YL-W203




Lanyard material: 100% polyester
 Webbing width: 50mm
 Color: As customer
 With 1 Stamping D-ring
 and 1 adjustable point and tool bag
 Match with the Lanyard (long: 1.5m, Dia: 14mm)
 Hook: Big stamping snap hook

Model: YL-W204



Lanyard material: 100% polyester
 Webbing width: 45mm
 Color: As customer
 With 2 forging D-rings
 and 1 adjustable points and tool bag

Model: YL-W205



Lanyard material: 100% polyester
 Webbing width: 45mm
 Color: As customer
 With 2 forging D-rings and 1 adjustable points
 A wide waist belt for protection and comfort
 Match with the Lanyard (long: 1.5m, Dia: 14mm)
 Hook: Middle stamping snap hook

Work Positioning Belt

Model: YL-W206




Lanyard material: 100% polyester
 Webbing width: 58mm
 Color: As customer
 With 2 Stamping D-rings
 and 1 adjustable point and tool bag
 Match with the Lanyard (long: 1.5m, Dia: 14mm)
 Hook: Big forged snap hook

Model: YL-W207




Lanyard material: 100% polyester
 Webbing width: 58mm
 Color: As customer
 With 2 Stamping D-rings
 and 1 adjustable point and tool bag
 Match with the Lanyard (long: 1.5m, Dia: 14mm)
 Hook: Big forged snap hook

Model: YL-W208



Lanyard material: 100% polyester
 Webbing width: 45mm
 Color: As customer
 With 2 forging D-rings and 1 adjustable points
 A wide waist belt for protection and comfort
 Waist straps with tongue buckles for easy adjusting
 Match with the Lanyard (long: 1.5m, Dia: 14mm)
 Hook: Middle stamping snap hook

Model: YL-W209




Lanyard material: 100% polyester
 Webbing width: 45mm
 Color: As customer
 With 3 forging D-rings and 1 adjustable points
 A wide waist belt for protection and comfort
 With small steel carabiner and rope grab with eye
 Match with the Lanyard (long: 1.5m, Dia: 14mm)
 Hook: Middle stamping snap hook

Model: YL-W210



Lanyard material: 100% polyester
 Webbing width: 45mm
 Color: As customer
 With 1 stamping D-rings
 Waist straps with tongue buckles

Model: YL-W211



Lanyard material: 100% polyester
 Webbing width: 75mm
 Color: As customer
 With 2 forging D-rings


Safety Lanyard

Model: YL-L601



Rope Lanyard Material: 100% polyester
Breaking Strength: 30KN
Rope Diameter: 14mm
Length: 1.5-1.8m
With 2 big alloy steel carabiner
Meet EN354

Model: YL-L602



Rope Lanyard Material: 100% polyester
Breaking Strength: 30KN
Rope Diameter: 14mm
Length: 1.5-1.8m
With 1 small steel carabiner
and 1 middle stamping snap hook
Meet EN354

Model: YL-L604




Rope Lanyard Material: 100% polyester
Breaking Strength: 30KN
Rope Diameter: 12mm
Length: 1.3-2.0m
With 1 small steel carabiner
and 1 middle stamping snap hook
and 1 small steel carabiner
Meet EN354

Model: YL-L605



Rope Lanyard Material: 100% polyester
Breaking Strength: 30KN
Rope Diameter: 14mm
Length: 1.5-1.8m
With 1 small steel carabiner
and 1 big forged snap hook
Meet EN354

Model: YL-L606



Rope Lanyard Material: 100% polyester
Breaking Strength: 30KN
Rope Diameter: 14mm
Length: 1.5-1.8m
With 1 big alloy steel carabiner
and 1 big forged snap hook
Meet EN354

Model: YL-L607



Rope Lanyard Material: 100% polyester
Breaking Strength: 30KN
Rope Diameter: 14mm
Length: 1.5-1.8m
With 1 alloy steel carabiner
and 2 big forged snap hooks
Meet EN354

Safety Lanyard

Model: YL-L610



Lanyard Material: 100% polyester
 Breaking Strength: 30KN
 Webbing Width: 30mm
 With 1 steel carabiner
 and 1 big forged snap hook
 Meet EN354

Model: YL-L611




Lanyard Material: 100% polyester
 Breaking Strength: 30KN
 Webbing Width: 30mm
 With 1 alloy steel carabiner
 and 1 big forged snap hook
 Meet EN354

Model: YL-L613




Lanyard Material: 100% polyester
 Breaking Strength: 30KN
 Webbing Width: 45mm
 With 1 alloy steel carabiner
 and 1 big forged snap hook
 Meet EN354

Model: YL-L614



Lanyard Material: 100% nylon
 Breaking Strength: 30KN
 Diameter: 10-12MM
 With 1 fall arrester
 Meet EN354

Model: YL-L615



Lanyard Material: 100% nylon
 Breaking Strength: 30KN
 Diameter: 12MM
 With 1 fall arrester
 Meet EN354

Model: YL-L617



Rope Lanyard Material: 100% polyester
 Breaking Strength: 30KN
 Rope Diameter: 14mm
 Length: 0.5m
 With 1 fall arrester
 and 1 middle stamping snap hook
 Meet EN354

Safety Lanyard

Model: YL-E500




Energy Absorber
Material: 100% polyester
Meet EN355

Model: YL-E501




Energy Absorber
Material: 100% polyester
With 1 forging D-ring
and 1 middle snap hook
Meet EN355

Model: YL-E502



Safety Lanyard with Energy Absorber
Material: 100% polyester
Breaking Strength: 30KN
Length: 1.8M-2M including the hook
Rope Dia: 14mm
With 1 alloy steel carabiner
and 1 big forged snap hook
Meet EN355 and EN354

Model: YL-E504



Safety Lanyard with Energy Absorber
Material: 100% polyester
Breaking Strength: 30KN
Length: 1.8M-2M including the hook
Rope Dia: 14mm
With 1 alloy steel carabiner
and 2 big forged snap hooks
Meet EN355 and EN354

Model: YL-E511



Safety Lanyard with Energy Absorber
Material: 100% polyester
Webbing width: 30mm
Breaking Strength: 30KN
Length: 1.8M-2M including the hook
With 1 big alloy steel carabiner
and 1 big forged hook
Meet EN355 and EN354

Model: YL-E512



Safety Lanyard with Energy Absorber
Material: 100% polyester
Webbing width: 30mm
Breaking Strength: 30KN
Length: 1.8M-2M including the hook
With 1 big alloy steel carabiner
and 1 big forged hook
Meet EN355 and EN354


Safety Lanyard

Model: YL-E516



Safety Lanyard with Energy Absorber
 Material: 100% polyester
 Webbing width: 45mm
 Breaking Strength: 30KN
 Length: 1.8M-2M including the hook
 With 1 big alloy steel carabiner
 and 2 big forged hooks
 Meet EN355 and EN354

Model: YL-E519



Safety Lanyard with Energy Absorber
 Material: 100% polyester
 Webbing width: 30mm
 Breaking Strength: 30KN
 Length: 1.8M-2M including the hook
 With 1 steel carabiner and 2 big forged hooks
 Meet EN355 and EN354

Model: YL-E520



Safety Lanyard with Energy Absorber
 Material: 100% polyester
 Webbing width: 45mm
 Breaking Strength: 30KN
 Length: 1.3M-1.8M including the hook
 With 1 big alloy steel carabiner
 and 2 big forged hooks
 Meet EN355 and EN354

Model: YL-E522



Safety Lanyard with Energy Absorber
 Material: 100% polyester
 Webbing width: 30mm
 Breaking Strength: 30KN
 Length: 1.8M-2M including the hook
 With 1 steel carabiner and 2 big forged hooks
 Meet EN355 and EN354

Model: YL-E525



Safety Lanyard with Energy Absorber
 Material: 100% polyester
 Breaking Strength: 30KN
 Length: 1.5M-1.8M including the hook
 With 1 stamping middle hook
 and 2 big forged hooks
 Meet EN355 and EN354

Model: YL-E526



Safety Lanyard with Energy Absorber
 Material: 100% polyester
 Breaking Strength: 30KN
 Length: 1.5M-1.8M including the hook
 Rope Dia: 10mm
 With 2 middle stamping hooks
 Meet EN355 and EN354